



Drinking Water Analysis for Private Wells Chain of Custody

Person Requesting Analysis

Name _____

Address _____

City, State & Zip _____

Telephone _____ E-Mail Address _____

EAI will send a final electronic report to your e-mail address. If an e-mail address is not provided, a hard copy of your report will be mailed to the above address within 30 days.

Sample Information

check here if same address as above

Street Address of Well _____ Town _____ State _____

Date Sample Collected _____ **Time Sample Collected** _____

Special comments about the sample: _____

**PLEASE FILL ALL CONTAINERS PROVIDED TO THE TOP
(Instructions on backside)**

Please check a drinking water analysis package:

___ **Standard / VA Loan \$125** (Bacteria, pH, NO3, NO2, Cl, F, As, Cu, Fe, Mn, Na, Pb, T. Hardness)

___ **Basic Package \$75** (Bacteria, pH, Cl, NO3, As, Fe, Mn)

___ **NHHHS: Licensing Requirement-Food Establishments \$40** (Bacteria, pH, NO3, NO2)

___ **FHA \$70** (Dependent upon lender: Bacteria, NO3, NO2, F, Pb preflush)

Individual analyses (see *minimum billing*)

___ \$20 Bacteria only (Total Coliform & E.coli)

___ \$20 Nitrate or Nitrite

___ \$10 per Single Metal: list _____

___ \$20 Uranium

___ Other _____

Eastern Analytical, Inc. has a minimum billing of \$40.

EAI accepts residential samples Monday through Thursday ONLY. Normal turnaround time for data is 5-7 business days. If results are needed in less than 5 business days, laboratory approval must be prearranged and RUSH surcharges are applicable.

Payment is due when samples are dropped off. We accept cash, check, Visa, and MasterCard.

Paid \$ _____ by Cash or Check# _____, Visa or MasterCard (*circle one*) Date _____

Collected by: _____ Relinquished by Signature: _____ Date: _____ Time: _____

Received by: _____ Date: _____ Time: _____ Temp _____ Ice (Y/N)

Revised: 10/13/2015



SAMPLE COLLECTION INSTRUCTIONS:

- 1) Remove aerator screen and cap from the kitchen faucet.
- 2) Wipe down the kitchen faucet rim with a lint free cloth dampened with bleach and water.
- 3) Turn on the cold water line and run for 5 minutes until noticeable temperature change is stable. Reduce flow to slow steady stream to eliminate splashing and air bubbles.
- 4) Starting with the Sterile container, (transparent container with tablet in it), fill all containers provided to the top.

DO NOT RINSE THE CONTAINERS BEFORE FILLING

- 5) Carefully replace caps on containers and tighten securely.
- 6) Fill out information on the sample container labels using waterproof ink.

DATE AND TIME OF COLLECTION MUST BE DOCUMENTED

- 7) Refrigerate and return to the laboratory WITHIN 24 HOURS OF THE TIME OF SAMPLE COLLECTION..
- 8) Residential Samples are accepted at the laboratory **MONDAY THROUGH THURSDAY ONLY.**

ADDITIONAL TESTING NEEDING SPECIALIZED CONTAINERS

The following list of parameters, require special containers that are not included in our typical drinking water analysis packages and they must be ordered separately.

- 1) Volatile Organic Contaminants (VOC).....**\$120**
- 2) Methyl Tertiary Butyl Ether (MTBE).....**\$60**
- 3) Radon in water.....**\$45**
- 4) Radiological Testing such as Gross Alpha, Radium 226/228.....**Call for pricing.**

Typical drinking water packages are shipped via US Postal Service. Any additional testing requests with specialized containers will be customized and shipped via UPS; shipping and handling fees are applicable.