



Eastern Analytical, Inc.

professional laboratory and drilling services

EAI#

Drinking Water Analysis for Private Wells Chain of Custody

Person Requesting Analysis

Name _____

Address _____

City, State & Zip _____

Telephone _____ E-Mail Address _____

EAI will send a final electronic report to your e-mail address. If an e-mail address is not provided, a hard copy of your report will be mailed to the above address within 30 days.

Sample Information

check here if same address as above

Street Address of Well _____ Town _____ State _____

Date Sample Collected _____ Time Sample Collected _____

Special comments about the sample: _____

PLEASE FILL ALL CONTAINERS PROVIDED TO THE TOP

(Sample Instructions on the flipside of this sheet)

EAI accepts residential samples Monday through Thursday ONLY. Normal turnaround time for data is 5-7 business days. If results are needed in less than 5 business days, laboratory approval must be prearranged and RUSH surcharges are applicable.

Please check a drinking water analysis package:

___ **Standard / VA Loan \$125** (Bacteria, pH, NO3, NO2, Cl, F, As, Cu, Fe, Mn, Na, Pb, T. Hardness)

___ **Basic Package \$75** (Bacteria, pH, Cl, NO3, As, Fe, Mn)

___ **FHA \$70** (Dependent upon lender: Bacteria, NO3, NO2, F, Pb preflush)

Eastern Analytical, Inc. has a minimum billing of \$40.

Individual analyses (see *minimum billing*)

___ \$20 Bacteria only (Total Coliform & E.coli)

___ \$20 Nitrate or Nitrite

___ \$10 per Single Metal: list _____

___ \$20 Uranium

___ Other _____

Payment is due when samples are dropped off. We accept cash, check, Visa, and MasterCard.

Paid \$ _____ by Cash or Check# _____, Visa or MasterCard (*circle one*) Date _____

Collected by: _____

Relinquished by Signature: _____ Date: _____ Time: _____

Received by: _____ Date: _____ Time: _____ Temp _____ Ice (Y/N)

Revised: 10/23/2018



Eastern Analytical, Inc.

professional laboratory and drilling services

SAMPLE COLLECTION INSTRUCTIONS:

- 1) Remove aerator screen and cap from the kitchen faucet.
- 2) Wipe down the kitchen faucet rim with a lint free cloth dampened with bleach and water.
- 3) Turn on the cold water line and run for 5 minutes until noticeable temperature change is stable. Reduce flow to slow steady stream to eliminate splashing and air bubbles.
- 4) Starting with the Sterile container, (transparent container with tablet in it), fill all containers provided to the top.
DO NOT RINSE THE CONTAINERS BEFORE FILLING
- 5) Carefully replace caps on containers and tighten securely.
- 6) Fill out information on the sample container labels using waterproof ink.
DATE AND TIME OF COLLECTION MUST BE DOCUMENTED
- 7) Refrigerate and return to the laboratory WITHIN 24 HOURS OF THE TIME OF SAMPLE COLLECTION..
- 8) Residential Samples are accepted at the laboratory **MONDAY THROUGH THURSDAY ONLY.**

ADDITIONAL TESTING NEEDING SPECIALIZED CONTAINERS

The following list of parameters, require special containers that are not included in our typical drinking water analysis packages and they must be ordered separately.

- | | |
|--|--------------------------|
| 1) Regulated Volatile Organic Contaminants (VOC)..... | \$120 |
| 2) Methyl Tertiary Butyl Ether (MTBE) Only..... | \$60 |
| 3) Ethylene dibromide / Dibromochloropropane..... | \$85 |
| 4) Radon in water..... | \$45 |
| 5) Radiological Testing such as Gross Alpha, Radium 226/228..... | Call for pricing. |

Typical drinking water packages are shipped via US Postal Service. Any additional testing requests with specialized containers will be customized and shipped via UPS; shipping and handling fees are applicable.

Revised: 10/23/2018