

NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER

Expires 12:01 AM April 01, 2023  
Issued April 01, 2022  
Revised January 13, 2023

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MS. LORRAINE OLASHAW  
EASTERN ANALYTICAL, INC  
51 ANTRIM AVENUE  
CONCORD, NH 03301

NY Lab Id No: 12072

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Characteristic Testing**

Corrosivity (pH)	EPA 9045D
Free Liquids	EPA 9095B
Ignitability	EPA 1030
Synthetic Precipitation Leaching Proc.	EPA 1312
TCLP	EPA 1311

**Chlorinated Hydrocarbon Pesticides**

4,4'-DDD	EPA 8081B
4,4'-DDE	EPA 8081B
4,4'-DDT	EPA 8081B
Aldrin	EPA 8081B
alpha-BHC	EPA 8081B
alpha-Chlordane	EPA 8081B
beta-BHC	EPA 8081B
Chlordane Total	EPA 8081B
delta-BHC	EPA 8081B
Dieldrin	EPA 8081B
Endosulfan I	EPA 8081B
Endosulfan II	EPA 8081B
Endosulfan sulfate	EPA 8081B
Endrin	EPA 8081B
Endrin aldehyde	EPA 8081B
Endrin Ketone	EPA 8081B
gamma-Chlordane	EPA 8081B
Heptachlor	EPA 8081B
Heptachlor epoxide	EPA 8081B
Lindane	EPA 8081B
Methoxychlor	EPA 8081B

Serial No.: 65735

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER

Expires 12:01 AM April 01, 2023  
Issued April 01, 2022  
Revised January 13, 2023

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MS. LORRAINE OLASHAW  
EASTERN ANALYTICAL, INC  
51 ANTRIM AVENUE  
CONCORD, NH 03301

NY Lab Id No: 12072

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Chlorinated Hydrocarbon Pesticides**

Toxaphene EPA 8081B

**Chlorinated Hydrocarbons**

Hexachlorobenzene EPA 8270D

EPA 8270E

Hexachlorobutadiene EPA 8270D

EPA 8270E

Hexachloroethane EPA 8270D

EPA 8270E

**Low Level Polynuclear Aromatic Hydrocarbons**

Acenaphthene Low Level EPA 8270D SIM

Acenaphthylene Low Level EPA 8270D SIM

Anthracene Low Level EPA 8270D SIM

Benzo(a)anthracene Low Level EPA 8270D SIM

Benzo(a)pyrene Low Level EPA 8270D SIM

Benzo(b)fluoranthene Low Level EPA 8270D SIM

Benzo(g,h,i)perylene Low Level EPA 8270D SIM

Benzo(k)fluoranthene Low Level EPA 8270D SIM

Chrysene Low Level EPA 8270D SIM

Dibenzo(a,h)anthracene Low Level EPA 8270D SIM

Fluoranthene Low Level EPA 8270D SIM

Fluorene Low Level EPA 8270D SIM

Indeno(1,2,3-cd)pyrene Low Level EPA 8270D SIM

Naphthalene Low Level EPA 8270D SIM

Phenanthrene Low Level EPA 8270D SIM

Pyrene Low Level EPA 8270D SIM

Serial No.: 65735

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER

Expires 12:01 AM April 01, 2023  
Issued April 01, 2022  
Revised January 13, 2023

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

*MS. LORRAINE OLASHAW  
EASTERN ANALYTICAL, INC  
51 ANTRIM AVENUE  
CONCORD, NH 03301*

*NY Lab Id No: 12072*

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Metals I**

Barium, Total	EPA 6010C EPA 6020A
Cadmium, Total	EPA 6010C EPA 6020A
Chromium, Total	EPA 6010C EPA 6020A
Copper, Total	EPA 6010C EPA 6020A
Lead, Total	EPA 6010C EPA 6020A
Manganese, Total	EPA 6010C EPA 6020A
Nickel, Total	EPA 6010C EPA 6020A
Silver, Total	EPA 6010C EPA 6020A

**Metals II**

Arsenic, Total	EPA 6010C EPA 6020A
Beryllium, Total	EPA 6010C EPA 6020A
Selenium, Total	EPA 6010C EPA 6020A
Zinc, Total	EPA 6010C EPA 6020A

Serial No.: 65735

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER

Expires 12:01 AM April 01, 2023  
Issued April 01, 2022  
Revised January 13, 2023

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MS. LORRAINE OLASHAW  
EASTERN ANALYTICAL, INC  
51 ANTRIM AVENUE  
CONCORD, NH 03301

NY Lab Id No: 12072

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Minerals**

Sulfate (as SO<sub>4</sub>) EPA 9056A

**Miscellaneous**

Cyanide, Total EPA 9014

**Nitroaromatics and Isophorone**

2,4-Dinitrotoluene EPA 8270D

EPA 8270E

Nitrobenzene EPA 8270D

EPA 8270E

Pyridine EPA 8270D

EPA 8270E

**Petroleum Hydrocarbons**

Diesel Range Organics EPA 8015C

Gasoline Range Organics EPA 8015C

**Polychlorinated Biphenyls**

Aroclor 1016 (PCB-1016) EPA 8082A

Aroclor 1221 (PCB-1221) EPA 8082A

Aroclor 1232 (PCB-1232) EPA 8082A

Aroclor 1242 (PCB-1242) EPA 8082A

Aroclor 1248 (PCB-1248) EPA 8082A

Aroclor 1254 (PCB-1254) EPA 8082A

Aroclor 1260 (PCB-1260) EPA 8082A

Aroclor 1262 (PCB-1262) EPA 8082A

Aroclor 1268 (PCB-1268) EPA 8082A

**Polynuclear Aromatic Hydrocarbons**

Acenaphthene EPA 8270E

Serial No.: 65735

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER

Expires 12:01 AM April 01, 2023  
Issued April 01, 2022  
Revised January 13, 2023

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MS. LORRAINE OLASHAW  
EASTERN ANALYTICAL, INC  
51 ANTRIM AVENUE  
CONCORD, NH 03301

NY Lab Id No: 12072

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Polynuclear Aromatic Hydrocarbons**

Acenaphthylene	EPA 8270E
Anthracene	EPA 8270E
Benzo(a)anthracene	EPA 8270E
Benzo(a)pyrene	EPA 8270E
Benzo(b)fluoranthene	EPA 8270E
Benzo(g,h,i)perylene	EPA 8270E
Benzo(k)fluoranthene	EPA 8270E
Chrysene	EPA 8270E
Dibenzo(a,h)anthracene	EPA 8270E
Fluoranthene	EPA 8270E
Fluorene	EPA 8270E
Indeno(1,2,3-cd)pyrene	EPA 8270E
Naphthalene	EPA 8270E
Phenanthrene	EPA 8270E
Pyrene	EPA 8270E

**Priority Pollutant Phenols**

2,4,5-Trichlorophenol	EPA 8270D
	EPA 8270E
2,4,6-Trichlorophenol	EPA 8270D
	EPA 8270E
2-Methylphenol	EPA 8270D
	EPA 8270E
3-Methylphenol	EPA 8270D
	EPA 8270E
4-Methylphenol	EPA 8270D
	EPA 8270E
Pentachlorophenol	EPA 8270D

Serial No.: 65735

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER

Expires 12:01 AM April 01, 2023  
Issued April 01, 2022  
Revised January 13, 2023

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MS. LORRAINE OLASHAW  
EASTERN ANALYTICAL, INC  
51 ANTRIM AVENUE  
CONCORD, NH 03301

NY Lab Id No: 12072

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Priority Pollutant Phenols**

Pentachlorophenol	EPA 8270E
Phenol	EPA 8270D
	EPA 8270E

**Semi-Volatile Organics**

1,4-Dichlorobenzene, Semi-volatile	EPA 8270D
	EPA 8270E
Dibenzofuran	EPA 8270D
	EPA 8270E

**Volatile Aromatics**

1,2,4-Trichlorobenzene, Volatile	EPA 8260C
1,2,4-Trimethylbenzene	EPA 8260C
1,2-Dichlorobenzene	EPA 8260C
1,3,5-Trimethylbenzene	EPA 8260C
1,3-Dichlorobenzene	EPA 8260C
1,4-Dichlorobenzene	EPA 8260C
Benzene	EPA 8260C
Chlorobenzene	EPA 8260C
Ethyl benzene	EPA 8260C
m/p-Xylenes	EPA 8260C
n-Butylbenzene	EPA 8260C
n-Propylbenzene	EPA 8260C
o-Xylene	EPA 8260C
sec-Butylbenzene	EPA 8260C
tert-Butylbenzene	EPA 8260C
Toluene	EPA 8260C
Total Xylenes	EPA 8260C

Serial No.: 65735

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).



NEW YORK STATE DEPARTMENT OF HEALTH  
WADSWORTH CENTER

Expires 12:01 AM April 01, 2023  
Issued April 01, 2022  
Revised January 13, 2023

**CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE**

*Issued in accordance with and pursuant to section 502 Public Health Law of New York State*

MS. LORRAINE OLASHAW  
EASTERN ANALYTICAL, INC  
51 ANTRIM AVENUE  
CONCORD, NH 03301

NY Lab Id No: 12072

*is hereby APPROVED as an Environmental Laboratory in conformance with the  
National Environmental Laboratory Accreditation Conference Standards (2016) for the category  
ENVIRONMENTAL ANALYSES SOLID AND HAZARDOUS WASTE  
All approved analytes are listed below:*

**Volatile Halocarbons**

1,1,1-Trichloroethane	EPA 8260C
1,1-Dichloroethane	EPA 8260C
1,1-Dichloroethene	EPA 8260C
1,2-Dichloroethane	EPA 8260C
Carbon tetrachloride	EPA 8260C
Chloroform	EPA 8260C
cis-1,2-Dichloroethene	EPA 8260C
Methylene chloride	EPA 8260C
Tetrachloroethene	EPA 8260C
trans-1,2-Dichloroethene	EPA 8260C
Trichloroethene	EPA 8260C
Vinyl chloride	EPA 8260C

**Volatile Organics**

1,4-Dioxane	EPA 8260C
2-Butanone (Methylethyl ketone)	EPA 8260C
Acetone	EPA 8260C
Methyl tert-butyl ether	EPA 8260C

**Sample Preparation Methods**

EPA 5035A-H  
EPA 3540C  
EPA 3545A  
EPA 3051A  
EPA 9010C

Serial No.: 65735

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at <https://apps.health.ny.gov/pubdoh/applinks/wc/elappublicweb/>, by phone (518) 485-5570 or by email to [elap@health.ny.gov](mailto:elap@health.ny.gov).

